# STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

## AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name	:_Malone	Ope	rator Well No.:	Malone #1 80	308 <sup>·</sup>
LOCATION	: Elevation: 102	22'	Quadrangle:	Shultz	
	District: Jeffe	erson	County: Ple	easants	
	Latitude:	Feet Sou	County: Pleth of Deg.	Min.	Sec.
	Longitude:	Feet Wes	st ofDeg.	Min	Sec.
Well Type:	OILX GAS				
Company:	WVDEP Plugging_		Coal Operator		
	601 57 <sup>th</sup> Street Charleston, WV 25		or Owner		
	Charleston, WV 25	301		- Office	of Oil & Gas
Agent: lor	nes Martin		Coal Operator		or on a Gas
AgentJai	iles iviai tii i	<del></del>	or Owner	J/	N 3 1 2012
Permit Issue	ed Date:8/8/20	12			
		· <del></del>		M/D	State and a
			<b>AFFIDAVIT</b>	Environ	epartment of
	OF WEST VIRGINI	•		PINOUM	ental Protection
County of	ofWood	ss:			
	4*				
_Randy Du	stin ar	id_Daniei Duckv	vortn	being first	duly sworn according to law
					d gas wells and were employed and filling the above well, and
Dave Gilb	ove nameu wen o	perator, and par Oil and	Gae Inenector re	nresenting the	Director, say that said work
was comme	enced on the	On and	ous inspector re iv of August	2012	and that the well was plugged
	n the following mar		., o, .agao		and that the men mae progget
TYPE	FROM	TO	PIPE RE	EMOVED	LEFT
Cement	315	190			
Cement			8" 38 feet		Undetermined
Cement	125	Surface			
14/-II T D 0	451 Oct Debug	.=			
Well T.D. 3					
	cement plugs	· -			
Erect a	Monument	With the	API attached		
LICULA	INOTATION	1 Willianc	Airattaorica		
Descripti	on of monument:	to well w/the Al	PI number attached	d and that the w	ork of plugging and filling said
	mpleted on the 25th				The state of the s
		_ , .		<u> </u>	
And furt	her deponents saith	not.			=
0		Ala:a	da a£	10	
	nd subscribe before			, 19	<del></del>
iviy com	mission expires:				
	_	Notary Publ	ic	<del></del>	
	Oil and Gas Insp		lbert_1/25/2013		
	•	<del></del>			

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

## AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

rarm name:	:R. Ck	arkson					_Operato	or Well	No.:_2			
LOCATION:	Elevat	ion: 1385	ı			Ous	adrangle:	Thor	nton			
	District	: Nestor	ville				ounty:	Taylor				_
	Latitud	e: <b>2.96</b> 0	)	Feet	South c	of 39	Dea.	20	Min	00	Sec.	-
	Longit	le: <b>2,960</b> ude: <b>7,200</b>	)	Feet	West of	f 79	Dea.	<del>5</del> 2	Min.	30	Sec.	
				_								
Well Type:	OIL	GAS_	<u>X</u>									
Company:					_		•				ed Coal Corp	<u>.</u>
		silon Drive				or Ov	vner		Box 1			-
	<u>Pittsbu</u>	<u>rgh, PA 15</u>	238-2	<u>837</u>							25324	-
<b>4 4</b> - <b>9 1</b>	<b></b>						Operator	HCR	<u> Holdi</u>	ngs, L	LC	_
Agent: Jon	<u>Farmer</u>	_				or Ov	vner				t, Suite 770	<del>-</del> ·
Dame's Income	ad Data	. PI4 410000						21 L	ouis, N	U 63	101	-
Permit Issue	ed Date:	3/14/2009										
						AFFI	DAVIT					
STATE (	OF WES	T VIRGINI	A			, w	Δ					
County o			•		//	•						
,					1/	A		1				
Elines	10	Bu	ar	nd (C	lun	P ()	Jun	ley	<u> </u>	being f	first duly swo	m according to
law denose	and sa	av that the	/ are e	expeni	encea 11	nme	work of	pluggi	ing and	filling	oil and gas v	wells and were
employed b	y the a	bove name	ed well	oper	ator, an	d part	icipated in	n the w	vork of	pluggi	ng and filling	the above well
						8"	_ day of _	Febr	uary		_, 20 <u>_<b>10</b></u> , and	the well was
plugged an	id filled	in the follo	wing	manne	<b>€</b> 7.							
TYPE	<del></del>	FROM			го	7	PIPE R	EMOV	/ED	<del>- </del>	LEF	T
13 3/8" Co	nd. S	urface		42'			None				42'	
9 5/8" Surf		urface		462'			None				462'	
7" OD Inter		urface	_	1137'		1	None			1	137'	
Type 1 cm		urface	$\neg \vdash$	10'		1						
6% Gel		<u>טי</u>		1084	,	_			<del></del> -			
Type 1 cm		084'		1460	,			-				
6% Gel		460'	$\neg \vdash$	1540								
Type 1 cm		540'		1690		7		· · · · · · · · · · · · · · · · · · ·			RECEIV	ED
6% Gel		690'	$\neg \vdash$	2080						2	fice of Oil	& Gas
Type 1 cm		080'	$\dashv$	2320						pt	lice of Oil	G. G.
6% Gel		320'		2800								0012
Type 1 cm		800,		3140							JAN 28 7	כוט
6% Gel		140'	_	3630		$\dashv$				$\neg \vdash \neg$		
Type 1 cm		630'			' (TD)	_				\A	N Departi	ment of
13he i ou			-+		1/	_				AA	10ton	Protection
<u> </u>										TIVIT	Ouniema	Protection
						$\top$						

Description of monument: Weld Cap on top of 7" csg - 30" above grnd - ID on cap and that the work of plugging and filling said well was completed on the 9th day of February , 20 10.

And further deponents saith not.

Sworn and subscribe before me this 10 in day of February 20 10

My commission expires: April 29, 2012

Notary Public

Notary Public

Mamber, Pennsylvania Association of Notaries

Title:

RECEIVED
Office of Oil & Gas

JAN 28 2013

WV Department of Environmental Protection

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

### AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name:	Hylda Ly	ons/			_Operate	or We	ll No.:	H#	1		
LOCATION:	Elevation	1492.57			_ Quadr						
	District:				Count		Bar	rbour			
		8750'	Feet S	South of	•	•	2	Min.	30	Sec.	
		e: 4500		West of					. 00	Sec.	
Mall Times	<b>3</b> 11	CACX									
Well Type: (		_	_								
Company		Operating C				Arch					
		ium Trace Park	way, 206	or Own	er		miston		2004		
	Birmingha	m, AL 35242						, WV 26	5201		
					perator						
Agent	Joe Mc0			or Own	er			Avenue			:
Permit Issu	ed Date	12/6/2006				Philip	pi, WV	26416			<del></del>
				Ĺ	\FFIDA\	/IT					
STATE OF W				•							
O M. Meyerine		. 1	eff Coope	-			ho	ina firel	t duly	sworn according	to law depose
Scott-Myers	hav ara ave	and <u>v</u>	work of	plugging	and filling	n oil ar	be	wells ar	nd wer	e employed by the	above named
well operator the 13th	and partic	cipated in the w	ork of pl	ugging a	ınd filling	, the a	bove w	rell say	tnat	e following manner	minienced on
TYPE		FROM	T	)	Р	IPE R	EMO\	/ED		LEFT	
Class A Ceme	nt	720	Surfa	ice		1	None			7" 26 ppf from 600' t	o surface
						<del></del>			-+		
									_		
					<u> </u>						
And furthe	completed er deponent d subscribe	s saith not.	day of D	ecember	17 weff	, 20 <u>12</u>	, API, & PII	ug Date	and tha	at the work of plug	ging and filling  NOTARY PUBLIC  REG. #7188636  MY COMMISSION EXPIRES 4/30/2016  WEALTH OF
		4-30-20		9	IMC	Lo	Notar 2	y Public	<u>{</u>	Fitle:	-13
				¥							

FORM WR-38 (Affidavit of Plugging)

#### STATE OF WEST VIRGINIA **DEPARTMENT OF ENERGY** OIL AND GAS WELLS DIVISION

### AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

**CONSOLIDATION COAL CO. Coal Operator or Owner** 

1 BRIDGE STREET MONONGAH, WV 26554

Address

**CONSOLIDATION COAL CO.** 

Coal Operator or Owner

1 BRIDGE STREET MONONGAH, WV 26554

Address

JEFFREY MICHAEL **Lease or Property Owner** 

P.O BOX 211 MANNINGTÓN, WV 26582

Address

**CONSOLIDATION COAL CO.** Name of Well Operator

1 BRIDGE STREET MONONGAH, WV 26554

**Complete Address GLOVER GAP 7.5'** 

Well Location

**MANNINGTON** 

District

MARION County

5259

Well No

MICHAEL, JEFFERY

Farm

STATE INSPECTOR SUPERVISING PLUGGING

**AFFIDAVIT** 

STATE OF WEST VIRGINIA. County of MONONGALIA 88:

DELBERT MOORE and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 31<sup>st</sup> day of October, 2012 and that the well was plugged in the following manner:

Sand or Zone Record Filling Material		Casing/Tubing Size	Casing Pulled	Casing Left in			
Formation				201(11)			
Removed all 2 3/8" tut	ing from the surface to 2783'. Cleaned 4 3/4"	16" Conductor	0'	20'			
hole through existing 5	5 ½" casing from the surface to 2793'.						
Removed 5 1/2" casing	from the surface to 1887'. Left 553' of 5 1/2"	7* Casing	1145'	740'			
casing in the hole from	1887' to 2440'. Cut remaining 5 1/2" casing						
	ottom hole from 2793' back to 1887' with	5 1/2" Casing	1887'	553'			
185 sacks of Class A (	Cement. Removed 7" casing from the						
surface to 1145'. Left	740' of 7" casing in the hole from 1145' to	2 3/8" Tubing	2783'	0,			
1885'. Cut remaining 7	" casing at the following depths; 1785',	_					
1685', 1585', 1502', 14	02', 1302' and 1205'. Cleaned 9 7/8" hole	me enien					
from the surface to 114	45'. Cleaned 6 1/4" hole from 1145' to top of	RECEIVED					
bottom hole plug at 18	87'. Cleaned 9 7/8" hole through Pittsburgh	Office of Oil 3 Gas					
Coal (962' to 970'). Le	ft 20' of 16" conductor pipe in the hole from	Office of On 3 June					
20' to surface.			1				
Cemented hole from	2793' back to surface as follows:	المها	28 2013				
From 2/93 to 188/ W	ith 185 sacks of Class A Cement.	3/11	20 2019				
From 1887 to 1170 W	ith 100 sacks of SuperLite Cement. From	į					
1170 to 862 With 160	sacks of Thixatropic Cement with dye.	IAN/Po	~~*~~	nt of			
From 862 to surrace w	rith 562 sacks of SuperLite Cement. A total	wv be	partme				
or 1007 secks or ceme	nt were used to fill the hole from 2793' back	Environme	ntal Pr	ntectio			
	circulate at the surface.	CHANOLINE	FITICAL I	OLCOLIC			
Coal Seams		Description of Monume	nt				
<u>Pittsburgh</u>	(962' - 970')	77" of 7" casing w/ company name, well number.					
		permit number and date of	emented stat	ed on 7"			
		casing. Well marker will be attached to cement					
		plug at ground level.					

and that the work of plugging and filling said well was completed on the 20th day of December, 2012

And further deponents saith not.

**Delbert Moore** 

Kevin S. Wright

Sworn to and subscribed before me this

day of Invalor 13

**Notary Public** 

My commission expires:

March 18, 2020



Permit No. 47-049-00876-P

Well No. 5259

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY OIL AND GAS WELLS DIVISION

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO. Coal Operator or Owner

1 BRIDGE STREET MONONGAH, WV 26554

Address

CONSOLIDATION COAL CO.

Coal Operator or Owner

1 BRIDGE STREET MONONGAH, WV 26554

Address

JEFFREY MICHAEL

Lease or Property Owner

P.O BOX 211 MANNINGTON, WV 26582

Address

CONSOLIDATION COAL CO.

Name of Well Operator

1 BRIDGE STREET MONONGAH, WV 26554

Complete Address

**GLOVER GAP 7.5'** 

Well Location

MANNINGTON

District

MARION

County

5140 Well No.

MICHAEL, JEFFERY

Farm

STATE INSPECTOR SUPERVISING PLUGGING

**AFFIDAVIT** 

STATE OF WEST VIRGINIA, County of MONONGALIA ss:

MIKE MITCHELL and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 13th day of November, 2012 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In				
Formation		,						
Cleaned 12 1/4" hole from	n the surface to top of 10 ¾" casing at 203'. at 203'. Cleaned 9 7/8" hole from 203' to top	16" Conductor	0'	20'				
of 7" casing at 682'. Red	duced hole to 6 ¼" at 682'. Cleaned 6 ¼" hole om of 7" casing is at 2004'. Tagged plug at	10 ¾" Casing	0'	40'				
2215', Cut 7" casing at t	the following depths; 1904', 1804', 1704', Cemented bottom hole from 2215' to 1657'	8 5/8" Casing	0'	Unknown				
with 85 sacks of 35/65 F extreme difficulty from 6	Poz Mix Cement. Removed 7" casing with 82' to 1359'. Remaining 7" casing could not	7" Casing	669'	645'				
9 7/8" hole to top of 8 5/	casing being bonded in the hole. Cleaned '8" casing at 1167'. 8 5/8" casing could not be							
at 1430'. Left an unknow	nt bond. Multistring cut 7" and 8 5/8" casings wn amount of 8 5/8" casing in the hole from pth. Cut remaining 8 5/8" casing at 1350',		RECE	VED II & Gas				
1275' and 1205'. Left 40 Cleaned 9 7/8" hole thro	0' of 10 3/4" casing in the hole from 203' to 243'. Sugh Pittsburgh Coal (1048' to 1056'). Left 12'	Of	fice of C	III & Gas	5			
Cemented hole from 2	the hole from 12' to surface.  215' back to surface as follows:		JAN 2	2013				
From 1657' to 1256' wit	h 85 sacks of 35/65 Poz Mix Cement. h 77 sacks of SuperLite Cement. From 1256'			1	e			
surface with 456 sacks	of Thixatropic Cement with dye. From 948' to of SuperLite Cement. A total of 758 sacks of I the hole from 2215' back to surface. Cement	W	N Depa	rtment c	)Ť			
did circulate at the surfa		Fnvir	doment	al Prole	ULI			
Coal Seams		WV Department of Environmental Protect  Description of Monument						
Pittsburgh	(1048' - 1056')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement						
		plug at ground level.	be attached t	o cement				
		plug at ground level.		10				

... and that the work of plugging and filling said well was completed on the 20th day of December, 2012

And further deponents saith not.

Mike Mitchell

S. Wing Kevin S. Wright

Sworn to and subscribed before me this

day of January

**Notary Public** 

My commission expires:

March 18, 2020

OFFICIAL SEAL

OFFICIAL SEAL

STATE OR WEST-VIRGINIA

NOTARY PUBLIC

12 Rousch Drive

Westover, WV. 26501

My Commission Exp. March 18, 2020

MR Tammission Exp. March 18, 2020

Permit No. 47-049-02234-P Well No. 5140

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

## AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name:	JOHNBON, D	IANA, ETA	<u> </u>	_Operator	Well No.	:9120	46		
LOCATION:	Elevation:	1815	•	Quadrar	ngle:	MORGO	_NTOWN_	SOUTH	
	District: _	CLINT	ON						
	Latitude: 30	<u>154680</u>	M Feet South of	De	g	Min	Se	ec.	
	Longitude:	<u>19.91118</u>	A Feet West of		)eg	Min		Sec.	
Well Type:	OIL(	gas <u>x</u>							
Company (	HESAPFAKE	APPALACH	Coal Op	er _	Q4D R	. Phillis iver vie	m Duni	e 16505	
			Coal C	perator -		mironii	個的一個		<del>)                                    </del>
Agent Permit Issu	ERIC B.	GILLES 11-26-	PIE or Own			(	Office (	8 110 to	Gas
i Cimit 1990	icu Daic	11-20-	<del></del>	- FFIDAVI1	 Г		JAN	3 1 201	3
	VEST VIRGINI	•				_			A
							WV De	partme	ent or
			Charles M						
well operator	r, and participa	ated in the	e work of plugging awork of plugging a and the	nd filling th	he above	well say that	at said wo	rk was com	
TYPE	FR	ROM	TO	DID	E REMO	VED		LEFT	
	TACHMEN			550'		7713	4630		
							DEDE	1944'	(10h)
							PERF	1012	(30h)
	<del></del>	<del></del>						1022	(301-)
		AT LIMITA	TIEM Service	WI ADTA	TAILST T	# DITTE	DATE		
said well was	er deponents s d subscribe be	t: the <u>3/5*</u> aith not.			012.			NOTAF PUBLIN ID NO. 426 MY COMMIS EXPIRES 9/28/2014	
Affidavit revi	ewed by the O	office of Oil	and Gas:		Du	io all	thile: O	11 t Gas	Irgorda

TYPE	<u>FROM</u>	<u>TO</u>			
Gel	4968'	0			
Cement	4968'	4792'			
Cement	4564'	4433'			
Cement	4398'	3952'			
Cement	3915'	3420'			
Cement	2806'	2415'			
Cement	1964'	1852'			
Cement	1018'	906'			
Cement	582'	405'			
Cement	105'	0			
				•	
			,		
			•		
•					